

Bảng thông số sản phẩm

Thông số kỹ thuật



Mechanical Door Chime, Accessories, 220-240 V

CCT99AC220

Main

Range	Enexx
Product Or Component Type	Door Chime
Device Application	Doorbell
Device Presentation	Complete device
Colour	White
Type Of Packing	Box

Complementary

[Ue] Rated Operational Voltage	220...240 V AC
Supply	0 mains
Network Type	AC
Device Mounting	Surface
Number Of Modules	1
Length	170.3 mm
Wiring Mode	2 wires
Acoustic Level	> 80 dB
Fixing Mode	By 4 screws

Environment

Height	51 mm
Width	105.3 mm
Connections - Terminals	Screwless terminals

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	17.8 cm
Package 1 Length	11 cm
Package 1 Weight	423.6 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	20

Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	9.282 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	480
Package 3 Height	105 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	233.768 kg

Bền vững

Nhãn **Green Premium™** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO₂ thấp.

Hướng dẫn đánh giá tính bền vững của sản phẩm là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhân sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

[Tìm hiểu thêm về Green Premium >](#)

[Hướng dẫn đánh giá về sự bền vững của sản phẩm >](#)



Minh bạch RoHS/REACH

Hiệu suất sức khỏe

Reach Free Of Svhc

Mercury Free

Rohs Exemption Information [Yes](#)

Halogen Free Plastic Parts Product

Chứng nhận & Tiêu chuẩn

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations