

Bảng thông số sản phẩm

Thông số kỹ thuật



Electronic Key Card Time Delay Switch, White

A8431EKT_WE

⚠ Ngừng sản xuất vào: 9 thg 10, 2023

⚠ Ngừng sản xuất

Main

| | |
|---------------------------|------------------|
| Range | ZENcelo |
| Product Or Component Type | Key card switch |
| Rated Current | 16 A at 240 V AC |
| Colour Tint | White |

Complementary

| | |
|------------------------------|---|
| Status Led | LED |
| Material | Polycarbonate: base Polycarbonate: grid plate Polycarbonate: surround Polycarbonate: lenses |
| Load Type | Incandescent 16 A Fluorescent 8 AX Motor 8 A |
| Device Mounting | Surface Flush |
| Connections - Terminals | Brass terminal |
| Clamping Connection Capacity | 1 x 1...4 x 1 mm ² for solid stranded cable(s) 2 x 2.5 mm ² for solid stranded cable(s) 1 x 1.5...3 x 1.5 mm ² for solid stranded cable(s) |
| Width | 70 mm |
| Height | 120 mm |
| Depth | 40.7 mm |

Environment

| | |
|---------------------------------------|---------------|
| Ambient Air Temperature For Operation | 0...40 °C |
| Relative Humidity | 0...95 % |
| Operating Altitude | <= 2000 m |
| Ambient Air Temperature For Storage | 0...60 °C |
| Standards | IEC 60669-2-1 |
| Ip Degree Of Protection | IP20 |

Packing Units

| | |
|------------------------|-----|
| Unit Type Of Package 1 | PCE |
|------------------------|-----|

| | |
|-------------------------------------|-----------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 6.3 cm |
| Package 1 Width | 8.8 cm |
| Package 1 Length | 13.2 cm |
| Package 1 Weight | 164.5 g |
| Unit Type Of Package 2 | CAR |
| Number Of Units In Package 2 | 30 |
| Package 2 Height | 21 cm |
| Package 2 Width | 32.5 cm |
| Package 2 Length | 50 cm |
| Package 2 Weight | 4935 g |
| Unit Type Of Package 3 | PAL |
| Number Of Units In Package 3 | 240 |
| Package 3 Height | 120 cm |
| Package 3 Width | 60 cm |
| Package 3 Length | 80 cm |
| Package 3 Weight | 1194400 g |

Bền vững

Nhãn **Green Premium™** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO₂ thấp.

Hướng dẫn đánh giá tính bền vững của sản phẩm là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhãn sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

[Tìm hiểu thêm về Green Premium >](#)

[Hướng dẫn đánh giá về sự bền vững của sản phẩm >](#)



Minh bạch **RoHS/REACH**

Hiệu suất sức khỏe

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information **Yes**

Chứng nhận & Tiêu chuẩn

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)