


# Bảng thông số sản phẩm

Thông số kỹ thuật



## Mureva Styl - double two-way switch - surface mounting - grey

MUR35022

### Main

Range Of Product	Mureva Styl
Product Or Component Type	Rocker switch
Device Presentation	Complete product
Technology Type	Electromechanical
Number Of Rocker	2
Colour Tint	Grey (RAL 7016)

### Complementary

Device Mounting	Surface
Switch Function	1-pole 2-way
Actuator	Rocker
Rated Current	10 AX
Load Type	Load for energy saving lamps with ballast: 100 W
[Ue] Rated Operational Voltage	250 V AC
Condition Of Use	Indoor/outdoor
Material	SEBS Brass ABS (acrylonitrile butadiene-styrene)
Fixing Mode	By screws
Clamping Connection Capacity	1.5...2.5 mm <sup>2</sup> for rigid cable(s) 1.5...2.5 mm <sup>2</sup> for stranded cable(s) 1.5...2.5 mm <sup>2</sup> for flexible cable(s)
Wire Stripping Length	13 mm
Cable Entry	Easy valve access diameter: 6...20 mm
Chemical And Detergent Products Resistance	Resistant to alcohol (70 %) Resistant to alcohol (96 %) Resistant to A-Lactic Acid Resistant to diluted quaternary ammonium Resistant to diluted bleach Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner Resistant to hydrogen peroxide 10 volumes Resistant to hexane
Height	76 mm
Width	76 mm
Depth	64 mm
Projecting Depth	64 mm

## Environment

Quality Labels	CE NF AENOR EAC
Ip Degree Of Protection	IP55
Ik Degree Of Protection	IK08
Flame Retardance	Self-extinguishing 650 °C conforming to IEC 60695-2-1
Standards	EN 60669-1
Ambient Air Temperature For Operation	-5...40 °C
Ambient Air Temperature For Storage	-25...55 °C

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.600 cm
Package 1 Width	6.500 cm
Package 1 Length	7.600 cm
Package 1 Weight	128.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	8.000 cm
Package 2 Width	16.000 cm
Package 2 Length	39.500 cm
Package 2 Weight	1.370 kg
Unit Type Of Package 3	S04
Number Of Units In Package 3	60
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	8.962 kg

## Bền vững

Nhãn **Green Premium™** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO<sub>2</sub> thấp.

**Hướng dẫn đánh giá tính bền vững của sản phẩm** là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhân sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

[Tìm hiểu thêm về Green Premium >](#)

[Hướng dẫn đánh giá về sự bền vững của sản phẩm >](#)



Bao bì bền vững Minh bạch RoHS/REACH

## Hiệu suất tài nguyên

Sustainable Packaging

## Hiệu suất sức khỏe

Mercury Free

Rohs Exemption Information Yes

## Chứng nhận & Tiêu chuẩn

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations