

Product datasheet

Specifications



WPS - 32A 500V - 2 switched poles - IP66 (grey)

S56SW232GY

Main

Range Of Product	WPS
Product Or Component Type	Isolating switch
Rated Current	32 A at 500 V AC

Complementary

Device Mounting	Surface
Switch Function	2-way
Poles Description	2P
Number Of Gangs	1 gang
Material	PVC (polyvinyl chloride) UV stabilised
Height	107 mm
Width	101 mm
Depth	104 mm

Environment

Environmental Characteristic	Weatherproof
Ip Degree Of Protection	IP66
Motor M-Rating As3133	M180

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.2 cm
Package 1 Width	10.5 cm
Package 1 Length	10.5 cm
Package 1 Weight	500.0 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile No need of specific recycling operations