

# Bảng thông số sản phẩm

Thông số kỹ thuật



## AvatarOn, USB charger + 2 socket-outlet, 2P, 16A, Wood

E8342616USB\_WD

### Main

Product Or Component Type	USB charger + socket-outlet
Fixing Mode	By screws

### Complementary

Outlet Standard	China
Outlet Standard Description	With earthing contact
Integrated Connection Type	2 socket-outlet 250 V AC 16 A 50/60 Hz 1 USB type A 5 V DC 2.1 A
Device Mounting	Flush Surface
Device Presentation	Complete product
Mounting Support	Mounting box
Outlet Poles Configuration	2P with shutter
Colour Tint	Wood
Surface Finish	Glossy
Surface Treatment	Untreated
Ambient Air Temperature For Storage	-20...60 °C
Protection Type	Current protection
Dielectric Strength	2000 V
Ambient Air Temperature For Operation	-5...35 °C
Service Life In Cycles	5000 cycles
Connections - Terminals	Screw terminal
Number Of Terminals	3
Screwdriver Shape	Phillips combined
Number Of Cables	2
Clamping Connection Capacity	1.5...4 mm <sup>2</sup> for rigid cable(s) 1.5...4 mm <sup>2</sup> for stranded cable(s) 1.5...4 mm <sup>2</sup> for flexible cable(s)
Material	PC (polycarbonate): grid plate PC (polycarbonate): surround
Wire Stripping Length	12 mm
Height	86 mm
Width	86 mm

Miễn trừ trách nhiệm: Tài liệu này không nhằm thay thế và không được sử dụng để xác định tính phù hợp hoặc độ tin cậy của các sản phẩm này cho các ứng dụng người dùng cụ thể.

<b>Depth</b>	38.2 mm
<b>Standards</b>	UL 498 UL 94 UL 1310

## Environment

<b>Ip Degree Of Protection</b>	IP20
--------------------------------	------

## Packing Units

<b>Unit Type Of Package 1</b>	PCE
<b>Number Of Units In Package 1</b>	1
<b>Package 1 Height</b>	4.5 cm
<b>Package 1 Width</b>	8.5 cm
<b>Package 1 Length</b>	8.5 cm
<b>Package 1 Weight</b>	100 g
<b>Unit Type Of Package 2</b>	BB1
<b>Number Of Units In Package 2</b>	8
<b>Package 2 Height</b>	9.5 cm
<b>Package 2 Width</b>	15 cm
<b>Package 2 Length</b>	19 cm
<b>Package 2 Weight</b>	850 g
<b>Unit Type Of Package 3</b>	CAR
<b>Number Of Units In Package 3</b>	48
<b>Package 3 Height</b>	21 cm
<b>Package 3 Width</b>	30 cm
<b>Package 3 Length</b>	39.5 cm
<b>Package 3 Weight</b>	4.8 kg

## Bền vững

Nhãn **Green Premium™** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO<sub>2</sub> thấp.

**Hướng dẫn đánh giá tính bền vững của sản phẩm** là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhãn sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

[Tìm hiểu thêm về Green Premium >](#)

[Hướng dẫn đánh giá về sự bền vững của sản phẩm >](#)



Minh bạch **RoHS/REACH**

## Hiệu suất sức khỏe

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information [Yes](#)

## Chứng nhận & Tiêu chuẩn

**Reach Regulation**

[REACH Declaration](#)

**Eu Rohs Directive**

Compliant

[EU RoHS Declaration](#)

**China Rohs Regulation**

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

**Environmental Disclosure**

[Product Environmental Profile](#)

**Circularity Profile**

No need of specific recycling operations