

Bảng thông số sản phẩm

Thông số kỹ thuật



2 USB charger + socket-outlet,
AvatarOn, complete product, 16A,
glossy, polar white

E8342616USB_WE_G19

Main

Product Or Component Type	USB charger + socket-outlet
Fixing Mode	By screws

Complementary

Outlet Standard	China
Outlet Standard Description	With earthing contact
Integrated Connection Type	2 socket-outlet 250 V AC 16 A 50/60 Hz 1 USB type A 5 V DC 2.1 A
Device Mounting	Flush Surface
Device Presentation	Complete product
Mounting Support	Mounting box
Outlet Poles Configuration	2P with shutter
Colour Tint	White
Surface Finish	Glossy
Surface Treatment	Untreated
Ambient Air Temperature For Storage	-20...60 °C
Protection Type	Current protection
Dielectric Strength	2000 V
Ambient Air Temperature For Operation	-5...35 °C
Service Life In Cycles	5000 cycles
Connections - Terminals	Screw terminal
Number Of Terminals	3
Screwdriver Shape	Phillips combined
Number Of Cables	2
Clamping Connection Capacity	1.5...4 mm ² for rigid cable(s) 1.5...4 mm ² for stranded cable(s) 1.5...4 mm ² for flexible cable(s)
Material	PC (polycarbonate): grid plate PC (polycarbonate): surround
Wire Stripping Length	12 mm
Height	86 mm
Width	86 mm

Depth	38.2 mm
-------	---------

Standards	UL 498 UL 94 UL 1310
-----------	----------------------------

Environment

Ip Degree Of Protection	IP20
-------------------------	------

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Number Of Units In Package 1	1
------------------------------	---

Package 1 Height	3.89 cm
------------------	---------

Package 1 Width	8.6 cm
-----------------	--------

Package 1 Length	8.6 cm
------------------	--------

Package 1 Weight	135 g
------------------	-------

Unit Type Of Package 2	BB1
------------------------	-----

Number Of Units In Package 2	48
------------------------------	----

Package 2 Height	21 cm
------------------	-------

Package 2 Width	30 cm
-----------------	-------

Package 2 Length	39.5 cm
------------------	---------

Package 2 Weight	6.48 kg
------------------	---------

Bền vững

Nhãn **Green Premium™** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO₂ thấp.

Hướng dẫn đánh giá tính bền vững của sản phẩm là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhãn sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

[Tìm hiểu thêm về Green Premium >](#)

[Hướng dẫn đánh giá về sự bền vững của sản phẩm >](#)



Minh bạch [RoHS/REACH](#)

Hiệu suất sức khỏe

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information [Yes](#)

Chứng nhận & Tiêu chuẩn

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations