

Product datasheet

Specifications



S-Flexi - telephone socket - 4 pin - white

F50RJ4M

⚠ Discontinued on: Nov 1, 2020

⚠ Discontinued

Main

Range	S-Flexi
Product Or Component Type	Telephone socket module
Device Application	Communication
Cover Frame Colour Tint	White

Complementary

Number Of Gangs	1 gang
Material	Polycarbonate: surround Polycarbonate: grid plate
Device Mounting	Flush Surface
Width	35 mm
Height	39.8 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.8 cm
Package 1 Width	3.5 cm
Package 1 Length	4.6 cm
Package 1 Weight	21.08 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	320
Package 2 Height	20.5 cm
Package 2 Width	27 cm
Package 2 Length	42.5 cm
Package 2 Weight	6000 g
Unit Type Of Package 3	P12
Number Of Units In Package 3	6400
Package 3 Height	80 cm
Package 3 Width	105 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Length	125 cm
Package 3 Weight	389.8 kg

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations