Specifications



Vivace 1 GANG CAT 5E WITH SHUTTER

KB31RJ5E_AS

() Discontinued on: 30 Jun 2023

Main

····earri	
Range	Vivace
Device Short Name	KB31
Product Or Component Type	Data socket
Cover Type	Shutter
Device Application	Communication
Device Presentation	Complete mechanism
Colour Tint	Aluminium silver

Complementary

Environment

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Environmental Characteristic	Indoor use

Standards	
Standards	

FCC

Packing Units

Facking Units	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.6 cm
Package 1 Width	4 cm
Package 1 Length	8.6 cm
Package 1 Weight	84.1 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	15 cm
Package 2 Width	19 cm
Package 2 Length	10 cm
Package 2 Weight	911 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	100
Package 3 Height	31.5 cm
Package 3 Width	50 cm
Package 3 Length	50 cm
Package 3 Weight	8660 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information