# **Product datasheet**

Specifications





# 1 GANG TV CO-AXIAL OUTLET

KB31TV\_AS

### Main

| Range Of Produc           | Vivace               |
|---------------------------|----------------------|
| Range                     | Vivace               |
| Device Short Name         | KB31                 |
| Product Or Component Type | TV socket            |
| Device Application        | Media device support |
| Tv Socket Type            | TV                   |
| Device Presentation       | Complete mechanism   |

## Complementary

| Number Of Gangs         | 1 gang  |
|-------------------------|---|
| Number Of Outputs       | 1   |
| Connector Type          | M-110 keystone RJ45 connector   |
| Material                | Polycarbonate: surround Polycarbonate: grid plate Polycarbonate: base |
| Projecting Depth        | 8 mm  |
| Device Mounting         | Flush   |
| Mounting Support        | Wall mounted  |
| Fixing Mode             | By screw M3.5   |
| Fixing Center           | 60.3 mm   |
| Colour Tint             | Aluminium silver  |
| Embedding Depth         | 35 mm   |
| Connections - Terminals | Clamp terminal  |
| Tightening Torque       | 0.4 N.m   |
| Width                   | 87 mm   |
| Height                  | 87 mm   |
| Main Colour Tint        | Aluminium silver  |

### **Environment**

| Ambient Air Temperature For Operation | -540 °C   |
|---------------------------------------|-----------|
| Relative Humidity                     | 095 %     |
| Environmental Characteristic          | Indooruse |

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

# **Packing Units**

| Unit Type Of Package 1       | PCE     |
|------------------------------|---------|
| Number Of Units In Package 1 | 1       |
| Package 1 Height             | 8.6 cm  |
| Package 1 Width              | 5 cm    |
| Package 1 Length             | 8.6 cm  |
| Package 1 Weight             | 86.9 g  |
| Unit Type Of Package 2       | BB1     |
| Number Of Units In Package 2 | 10      |
| Package 2 Height             | 15 cm   |
| Package 2 Width              | 19 cm   |
| Package 2 Length             | 10 cm   |
| Package 2 Weight             | 939 g   |
| Unit Type Of Package 3       | CAR     |
| Number Of Units In Package 3 | 100     |
| Package 3 Height             | 21 cm   |
| Package 3 Width              | 31.5 cm |
| Package 3 Length             | 50 cm   |
| Package 3 Weight             | 8936 g  |



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

### **Certifications & Standards**

| Reach Regulation         | REACh Declaration   |
|--------------------------|---|
| Eu Rohs Directive        | Compliant with Exemptions   |
| China Rohs Regulation    | China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile   |
| Circularity Profile      | No need of specific recycling operations  |