

Product data sheet

Specifications



13A 250V - straight plug - 3 flat pin - IP66 (Grey)

S56P313GY_G15

Main

Range	WPS
Device Short Name	56 series
Product Or Component Type	Plug
Outlet Standard Description	Flat pin
Colour Tint	Light grey

Complementary

Plug, Socket, Control Station Shape	Straight
Rated Current	13 A at 250 V AC
Poles Description	3P
Material	Plastic
Colour Code	GY

Environment

Ip Degree Of Protection	IP66
Standards	GB/T 11918:2001

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8 cm
Package 1 Width	9.5 cm
Package 1 Length	9.6 cm
Package 1 Weight	177.778 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	45
Package 2 Height	23.8 cm
Package 2 Width	34.2 cm
Package 2 Length	39 cm
Package 2 Weight	8000 g
Unit Type Of Package 3	P12
Number Of Units In Package 3	810

Package 3 Height	130 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	162000 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations