

Product datasheet

Specifications



Acti9, IH, mechanical time switch, 24 h, 150 h memory

15336

Main

| | |
|---------------------------|------------------------|
| Range Of Product | Acti9 |
| Product Name | Acti9 IH |
| Device Short Name | IH |
| Product Or Component Type | Mechanical time switch |
| Number Of Channels | 1 |
| Function Available | Manual time changeover |

Complementary

| | |
|--------------------------------|---|
| Device Application | Building |
| Load Type | Parallel-corrected fluorescent tube 5 x 58 W 4.7 μ F Parallel-corrected fluorescent tube 7 x 40 W 7 μ F Parallel-corrected fluorescent tube 2 x 100 W 18 μ F 230 V AC halogen lamp 1000 W 230 V AC incandescent lamp 1000 W Fluocompact lamp 700 VA Compact fluorescent lamp 150 W LED lamp < 2 W 30 W LED lamp > 2 W 300 W |
| Cycle Duration | 24 h |
| Maximum Number Of Switchings | 48 on - 48 off |
| Minimum Interval Duration | 15 min |
| Type Of Setting | Manual time changeover |
| Measurement Accuracy | +/- 1 s/day 20 °C |
| Power Consumption In W | 0.5 W |
| Maximum Switching Current | 16 A - 250 V AC pf = 1 4 A - 250 V AC pf = 0.6 |
| [Ue] Rated Operational Voltage | 230...240 V AC at 50...60 Hz |
| Battery Life | 10 year(s) |
| Backup Time | 150 h time and program saving |
| Mounting Support | DIN rail |
| 9 Mm Pitches | 2 |
| Colour Tint | White (RAL 9003) |
| Connections - Terminals | Screw terminals |
| Width | 18 mm |
| Height | 90 mm |
| Depth | 66 mm |

| | |
|------------|----------|
| Net Weight | 0.101 kg |
|------------|----------|

Environment

| | |
|---------------------------------------|-------------|
| Ambient Air Temperature For Operation | -10...50 °C |
|---------------------------------------|-------------|

| | |
|-------------------------|-------------------|
| Ip Degree Of Protection | Terminals: IP20 B |
|-------------------------|-------------------|

Packing Units

| | |
|------------------------|-----|
| Unit Type Of Package 1 | PCE |
|------------------------|-----|

| | |
|------------------------------|---|
| Number Of Units In Package 1 | 1 |
|------------------------------|---|

| | |
|------------------|----------|
| Package 1 Height | 2.400 cm |
|------------------|----------|

| | |
|-----------------|----------|
| Package 1 Width | 6.800 cm |
|-----------------|----------|

| | |
|------------------|-----------|
| Package 1 Length | 10.000 cm |
|------------------|-----------|

| | |
|------------------|----------|
| Package 1 Weight | 87.000 g |
|------------------|----------|

| | |
|------------------------|-----|
| Unit Type Of Package 2 | S03 |
|------------------------|-----|

| | |
|------------------------------|-----|
| Number Of Units In Package 2 | 100 |
|------------------------------|-----|

| | |
|------------------|-----------|
| Package 2 Height | 30.000 cm |
|------------------|-----------|

| | |
|-----------------|-----------|
| Package 2 Width | 30.000 cm |
|-----------------|-----------|

| | |
|------------------|-----------|
| Package 2 Length | 40.000 cm |
|------------------|-----------|

| | |
|------------------|----------|
| Package 2 Weight | 9.350 kg |
|------------------|----------|

| | |
|------------------------|-----|
| Unit Type Of Package 3 | P12 |
|------------------------|-----|

| | |
|------------------------------|------|
| Number Of Units In Package 3 | 1600 |
|------------------------------|------|

| | |
|------------------|-----------|
| Package 3 Height | 75.000 cm |
|------------------|-----------|

| | |
|-----------------|-----------|
| Package 3 Width | 80.000 cm |
|-----------------|-----------|

| | |
|------------------|------------|
| Package 3 Length | 120.000 cm |
|------------------|------------|

| | |
|------------------|------------|
| Package 3 Weight | 146.192 kg |
|------------------|------------|

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

RoHS Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Compliant with Exemptions

China RoHS Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)