Product datasheet

Specifications





ARGUS standard outdoor 120° - carton

CCT56P004

Main

Range Of Product	ARGUS standard movement detector	
Range	ARGUS	
Product Or Component Type	Movement detector	
Load Type	Incandescent lamp: 1000 W, AC	
	Low voltage halogen lamp with wire-wound transformer: 500 VA	
	Low voltage halogen lamp with electronic transformer: 250 VA	
	Fluorescent tube: 200 VA, AC	
	Compact fluorescent lamp: 3 x 23 W, AC	
	Capacitive: : 6 A, 21 µF, AC	
	Capacitive: : 10 A, 14 µF, AC	
	Halogen lamp: 900 W, AC	
Colour Tint	White	
Type Of Packing	Carton	

Complementary

[Ue] Rated Operational Voltage	220240 V	
Network Frequency	50 Hz	
[Ue] Rated Operational Voltage	220240 V	
Output Current	10 A	
Type Of Setting	Light sensitivity adjustable Time adjustment	
Time Delay	3 s30 min	
Light Intensity Adjustment	52000 lux	
Horizontal Detection Angle	0120 °	
Detection Range	Frontal: 12 m	
Material	PC (polycarbonate) matt	
Device Mounting	Surface	
Mounting Height	2.5 m	

Environment

Ip Degree Of Protection	IP55
Ambient Air Temperature For Operation	-1540 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

1 Jun 2024 Life Is On Schneider 1

Package 1 Height	9.2 cm
Package 1 Width	17.2 cm
Package 1 Length	9.8 cm
Package 1 Weight	343 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	36
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	13.294 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	432
Package 3 Height	105 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	171.528 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information