Product datasheet

Specifications





ARGUS Standard 360° False ceiling indoor movement detector - 2ch

CCT570003

Main

Range Of Product	ARGUS standard movement detector ARGUS	
Range		
Product Or Component Type	Movement detector	
Load Type	LED lighting: : 100 W	
	Compact fluorescent lamp: : 100 W	
	Motor:: 100 W	
	Relay: : 5 A - 250 V	
	Incandescent lamps: : 1000 W - 230 V	
	Halogen lamp: : 900 W - 230 V	
	Halogen lamp with standard electronic transformer: 250 VA	
	Halogen lamp with standard ferromagnetic transformer: 500 VA	
	Fluorescent tube: 200 VA	
	Capacitive: , 21 µF	
	Capacitive: , 14 μF	
Colour Tint	White	

Complementary

Output Voltage	220250 V	
Control Type	Movement sensor	
Function Available	Switching, toggling, dimming	
Light Intensity Adjustment	51000 lux	
Detection Range	Radius: 3500 mm	
Device Mounting	Ceiling Flush	
Mounting Height	2.5 m	

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	12.6 cm
Package 1 Length	13.0 cm
Package 1 Weight	265.0 g
Unit Type Of Package 2	S04

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Number Of Units In Package 2	48
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	13.56 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information